

WATER TANKS.

Water tank are the liquid storage (or) structure (or) container's, these tanks are usually storing water for human consumption.

There are three type of reinf. concrete water tank

- (1) Tank resting on ground.
- (2) Under ground water tank.
- (3) elevated water tank.

Factors to be considered while designing water tanks.

- (1) Strength.
- (2) water tightness
- (3) Overall Stability

The concrete grade \rightarrow (M20, M30)

Design procedure for water tank:-

- (i) For tank resting on ground with fixed base.

Step 1 :- Calculation of permissible stresses

Step 2 :- Design constants (m, j, i)

Step 3 :- fixing of dimensions of the tank.

Step 4 :- Bending Moment, ring tension + Shear.

$$H^2 / \dots \quad H \rightarrow \text{height}$$

for maximum bending moment

Step 5 :- $= \text{Constant} \times W H^3$

$w \rightarrow$ density of water

for maximum shear = $\text{constant} \times W H^2$

for maximum ring tension =

$$\frac{\text{Constant} \times w \times H \times d}{2}$$

Step 5 :- Provision of steel reinforcement for hoop tension

$$A_{st} = \frac{T}{\sigma_{st}}$$

$T =$ maximum ring tension

$\sigma_{st} \rightarrow$ permissible stress in steel

Step 6 :- Steel reinforcement for bending moment

$$A_{st} = \frac{\text{Maximum Moment}}{\sigma_{st} \times j \times d}$$

$(d \rightarrow$ internal dia.)

Step 7 :- Design of vertical reinforcement.

minimum vertical reinforcement = 0.3% of cross section area

Step 8:- Design of base slab of

$$A_{st} = 0.3 \% \text{ of cross section area.}$$

Step 9:- Maximum shear at base (or) check for shear.

$$\text{Max. Shear stress} = \tau_v = \frac{V}{jbd.}$$

(ii) (For flexible Base. circular tank)

Step 1:- Design constant of permissible

Stress. (σ_{ct} , σ_{st} , M)

Step 2:- σ_{ct} = duct tensile stress in Concrete.

σ_{st} \rightarrow duct tensile stress in Steel

$M \rightarrow$ Modular ratio

Step 2:- Diameter of tank.

Step 3:- hoop tension of steel reinforcement

$$\text{maxi hoop tension} = \frac{WHD}{2.}$$

$$A_{st} = \frac{\text{Maxi hoop tension}}{\sigma_{st}.}$$

Step 4:- Thickness of wall.

t = thickness of wall

$$\frac{\frac{WHD}{2}}{t} = \sigma_{ct}.$$

Step 5: reinforcement in tank wall

minimum reinforcement for tank wall

$$= 0.3 \% \text{ of cross section}$$

Minimum Spacing: should not be greater than 3 times of wall thickness

Step 6:- Steel area for hoop tension

$$A_{st} = \frac{WHD}{2}$$

Calculation of temp reinforcement:

$$= 0.3 \% \text{ of cross section area}$$

Step 7:- Design of tank floor slab

$A_{st} = 0.3 \% \text{ of cross section area}$

Thickness = 150 mm.

- 1, Design a circular tank with a flexible base for a capacity of 5 lakh liter depth of water is to be 4 m & free board is 200 mm, use. $M20 + f_c 415$ (grade I mild steel), permissible direct tensile stress in concrete = 1.2 N/mm^2 permissible stress in steel in direct tension = 115 N/mm^2

Given:

Capacity of tank = 5,00,000 liter

height of water = 4 m.

free board = 0.2 m.

$f_{ck} = 20 \text{ N/mm}^2$ Grade I mild

- (i) Step 1 design constant & permissible stress:

From IS 3370 part II [page No: 7+8]

Table: 1.

permissible direct tensile stress = 1.2 N/mm^2
in concrete; $\sigma_{ct} = 1.2 \text{ N/mm}^2$

Table: 2.

permissible stress in steel in tension
 $\sigma_{st} = 115 \text{ N/mm}^2$.

modular ratio, $m = \frac{280}{3 \sigma_{cbc}}$

$= \frac{280}{3 \times 7}$

$m = 13.3$

Step 2: Dimension of the tank:

Volume = 500000 liter

$\frac{\pi}{4} \times D^2 \times H = \frac{500000}{1000}$

$$D = 12.6 \text{ m.}$$

The Overall height of the tank = $4 + 0.2$

$$H = 4.2 \text{ m}$$

Step 3:- Hoop tension & Steel reqd./:-

$$\text{Maximum hoop tension} = \frac{WHD}{2}$$

$w \rightarrow$ density of water = 10.

$$\Rightarrow = \frac{10 \times 4.2 \times 12.6}{2}$$

$$= 264.6 \text{ KN.}$$

Area of steel = $\frac{\text{Max hoop tension}}{\sigma_{st}}$

$$= \frac{264.6 \times 10^3}{115}$$

$$= 2300.86 \text{ mm}^2$$

Use 20 mm ϕ bar.

$$\Rightarrow A_{st} = \frac{\pi}{4} \times 20^2 = 314.15.$$

$$\text{Spacing} = \frac{A_{st} \times 1000}{A_{reqd}}$$

$$= 136.53 \text{ mm.}$$

$$\approx 130 \text{ mm. c/c.}$$

Provide 20 mm ϕ bar at 130 mm c/c

for hoop tension :-

Step 4: Thickness of wall:

if 't' is the thickness

$$\frac{WHD}{2} = \frac{A_{st}}{1000t + (m-1)A_{st}} = \sigma_{ct}$$

$$\Rightarrow \frac{10 \times 4.2 \times 12.6}{2} = \frac{2300}{1000t + (m-1)2300} = 1.2$$

$$\frac{(264.6 \times 10^3)}{1000t + (13.3-1)2300} = 1.2$$

$$t = 192.18 \text{ mm.}$$

$$t \geq 195 \text{ mm.}$$

Step 5: Min reinforcement in tank wall:

at top, Mini reinforcement = 0.3% cross section

$$= 0.3 \times b \times t$$

$$= \frac{0.3}{100} \times 1000 \times 195$$

$$= 585 \text{ mm}^2$$

Use 20 mm ϕ bars.

$$\bullet \text{ Spacing} = \frac{A_{st}}{A} \times 1000$$

$$= \frac{585}{A} \times 1000$$

$$= 537.00 \text{ mm/c.}$$

Minimum Spacing \neq 3 times of the wall thickness

$$= 3 \times 195$$

$$= 585 \text{ mm.}$$

Hence adopt spacing as 585 mm/c.

Step 6: steel reinforcement for hoop tension:

At 2 m.

$$A_{st} = \frac{WHD}{2 \times 100}$$

$$= \frac{10 \times 2 \times 12.6}{2 \times 100}$$

$$= 1.26 \text{ m}^2$$

$$= 1260 \text{ mm}^2$$

Use 20 mm ϕ

$$\text{Spacing} = \frac{a_{st}}{A_{st}} \times 1000$$

$$= \frac{314.78}{1260} \times 1000$$

$$= 249.3 \text{ mm} \approx 240 \text{ mm} \%$$

Distribution of temperature reinf.

$$\Rightarrow 0.3\% \text{ of } b \times t$$

$$= \frac{0.3}{100} \times 1000 \times 195$$

Use 10 mm ϕ = 585 mm²

$$\text{Spacing} \Rightarrow A_s = \frac{a_{st}}{A_{st}} \times 1000$$

$$= \frac{78.53}{585} \times 1000$$

$$= 134.23$$

$$\approx 130 \text{ mm} \%$$

Provide 10 mm ϕ bar at d_s 130 mm %

Step 1: Design of floor slab:

$$A_{st} =$$

Provide nominal thickness of slab 150 mm and min

area of steel = 0.3% of cross section

$$\Rightarrow \frac{0.3}{100} \times 1000 \times 150$$

$$A_{st} = 450 \text{ mm}^2 = 225$$

Provide half the reinforcement in each face.


Use 8 mm ϕ

$$\text{Spacing} = \frac{a_{st}}{A_{st}} \times 1000$$

$$= \frac{\frac{\pi}{4} \times 8^2}{225} \times 1000$$

$$= 223.24 = 220 \text{ mm} \%$$

Provide 8 mm ϕ bar at 220 mm $\%$ in both direction.



design a circular tank with fixed base for capacity of 4 lak. depth of water is to be 4 m, free board is 200 mm. use m20 & grade 1 mild steel.

(i) given:-

(ii) Step 1. Calculation of permissible stress:-

Permissible stress in concrete $\sigma_{ct} = 1.2 \text{ N/mm}^2$.

$$\sigma_{st} = 115 \text{ N/mm}^2$$

$$\sigma_{cbc} = 7 \text{ N/mm}^2$$

$$M = \frac{280}{3 \sigma_{cbc}} = 13.3$$

$$n = \frac{1}{1 + \frac{\sigma_{st}}{m \sigma_{cbc}}}$$

$$= \frac{1}{1 + \frac{115}{(13.3 \times 7)}} = 0.4$$

$$j = 1 - \frac{n}{3} = 1 - \frac{0.4}{3} = 0.85$$

Step 3:- fixing of dimensions:-

$$\frac{\pi}{4} D^2 \times H = \frac{4,00,000}{1000}$$

$$D = 11.28 \text{ m.}$$

$$1 \text{ kg} = 10 \text{ N.}$$

Overall height $H = 4 + 0.2$

$$H = 4.2 \text{ m.}$$

(A) Bending moment + ring tension + shear.

⇒ $\frac{H^2}{Dt}$ (Provide, Adopt thickness of tank wall and base slab as 160 mm)

(Part-4) IS 3370

⇒ page No: 35 (0.6H)

Maximum ring tension acting at 0.6H.

$$= D \cdot 0.6H = 2.52.$$

$$\frac{H^2}{Dt} = \frac{4.2^2}{11.28 \times 0.16}$$

$$= 9.7 \approx 10.$$

for bending moment (0.9)
for Ring tension +
Shear. → 0.6H

Referring IS 3370 part 4 in table 10

$$\text{for Max BM} = \text{Constant} \times wH^3. (\# 0.0019)$$

$$= 0.0019 \times 10 \times 4.2^3$$

$$= 1.4 \text{ kgm/m.}$$

$$\text{Max. Shear} = \text{Constant} \times wH^2, (\text{table 11})$$

$$= 0.158 \times 10 \times 4.2^2$$

$$= 27.87 \text{ kg.}$$

for max ring tension:

$$= \text{Constant} \times wH D / 2$$

$$= 0.608 \times 10 \times 4.2 \times \frac{11.28}{2} =$$

Step 5: provision of steel reinforcement for hoop tension

$$\sigma_{st} = \frac{T}{A} = \frac{144.02 \times 10^3}{115}$$

$$= 1252.3 \text{ mm}^2$$

Use 20 mm ϕ bars.

$$\Rightarrow \frac{\pi}{4} \times 20^2 = 314.15$$

$$\text{Spacing No. of bars} = \frac{\sigma_{st}}{\text{area}}$$

$$= \frac{1252.3}{314.15}$$

$$= 3.9 \approx 4 \#$$

$$\text{Spacing} = \frac{\text{circumference}}{\text{No. of bars}} \times 1000$$

$$= \frac{\pi \times 20^2}{1252.2} \times 1000$$

$$= 250.8 \text{ mm} \approx 250 \text{ mm c/c}$$

Provide 20 mm ϕ bars at 250 mm c/c

Step 6. check for thickness of wall.

$$\sigma_c = \frac{V}{jbd}$$

$$\frac{T}{1000t + (m-1)A_{st}} = \sigma_{ct}$$

$$\frac{(144.02 \times 10^3)}{1000t + (13.3-1)(1252.3)} = 115.121$$

$$1000t + (13.3-1)(1252.3)$$

$$t = 104.6 < 160 \text{ mm.}$$

Hence Safe.

Step 7 :- Steel reqd for B.M.:

$$A_{st} = \frac{\text{Max Moment}}{\sigma_{st} j d} = \frac{1.4 \times 10^6}{115 \times 0.85 \times 130}$$

$$d = D - d' = 110 \text{ mm}^2$$

$$= 160 - 30$$

use 12 mm ϕ

$$d = 130 \text{ mm}$$

$$\text{Spacing} = \frac{a_{ut}}{A_{st}} \times 1000$$

$$= \frac{113.0}{110} \times 1000$$

adopt min spacing $\leq 1027 \text{ mm.}$
as 300 mm $\%c$.

Provide 12 mm ϕ bars at 300 mm $\%c$ as steel reqd for B.M.

Step 8 :- Vertical verfy.

$$\text{Min } A_{st} = 0.3 \% b D$$

$$= \frac{0.3 \times 1000 \times 160}{100}$$

use 10 mm ϕ

$$= 480 \text{ mm}^2$$

$$\text{Spacing} = \frac{a_{ut}}{A_{st}} \times 1000$$

Step 9: Design of base slab.

Area of steel = $0.3\% b D$

$$= \frac{0.3}{100} \times 1000 \times 160$$

$$= 480 \text{ mm}^2$$

Area at each face = $\frac{480}{2}$

Provide 8 mm ϕ bars.

$$\text{Spacing} = \frac{1000}{\frac{A}{4} \times 8^2} \times 1000 = b$$

$$= \frac{1000}{240} \times 1000$$

$$= 209 \text{ mm} \approx 200 \text{ mm c/c}$$

at junction use 12 mm ϕ bars.

$$\text{Spacing} = \frac{1000}{\frac{A}{4} \times 12^2} \times 1000$$

$$= 471 \text{ mm}$$

$$\approx 450 \text{ mm c/c}$$

Provide 8 mm ϕ bars at 200 mm c/c

in both ways and at junction provide

12 mm ϕ bars at 450 mm c/c.

Step 10 :- check for shear.

$$Z_u = \frac{V}{bdj}$$

$$= \frac{27.87 \times 10^3}{1000 \times 130 \times 0.85}$$


$$= 0.25 \text{ N/mm}^2.$$

from IS 456 : 2000

$$Z_c = 1.7 \text{ N/mm}^2$$

$$Z_u < Z_c$$

Here it is safe against shear.



Design of Domes:

- (i) Concrete domes are generally built & prepared to cover circular tank and for roof of larger span. Structures which are circular in shape.
- (ii) Spherical domes are supported by ring beams at base.
- (iii) Reinf. made up of wire mesh and concrete is placed in the concrete ring. Over prepared frame works (a) dome formed by concrete gunnelling.

Design procedure:

Step 1 :-

Permissible stress

$\sigma_{bc} \rightarrow$ permissible σ

$\sigma_{st} \rightarrow$ permissible limit class

$\sigma_{ct} \rightarrow$ permissible compl.

$M \rightarrow$ Modular ratio

$$M = \frac{280}{\sigma_{cb} \times 3}$$

step 2 Dimension of dome:-

If $R =$ radius of dome.

$$\Rightarrow (R - r)^2 = R^2 - r^2$$

($r \Rightarrow$ rise)

\rightarrow radius of at base

step 3:- load calculation

(i) self weight

(ii) live load.

(iii) weight of finish

(roof = 4 kN)

Total load.

Step 4 :- stress in dome:-

(i) Meridian thrust $(T = \frac{WR}{1 + \cos \theta})$

$W \Rightarrow$ load, $R \Rightarrow$ Radius

(ii) Meridian Compressive stress =

$$\Rightarrow \frac{T}{bt}$$

Hoop stress

$$\Rightarrow \frac{WR}{t} \left(\cos \theta - \frac{1}{1 + \cos \theta} \right)$$

Step 5:-

Area of steel:-

If the stress are high the surface area provided for the particular stress.

If the stress are low the nominal area should be provided

$$\text{Nominal area} = 0.3 b \times D.$$

Step 6: Design of ring beam.

(i) horizontal component of thrust

$$T_h = T \cos \theta$$

hoop tension in ring beam \Rightarrow

$$\Rightarrow \frac{T \cos \theta D}{2}$$

Area of reinforcement:

$$\Rightarrow A_{st} = \frac{\text{hoop tension}}{\sigma_{st}}$$

1. Reinforced concrete dome of 6m base width (or) base diameter with a rise of 1.25m is to be designed for a water tank. The wt of including finishes on dome may be taken as 2 kN/m^2 adopt M20 grade & grade 1 mild steel bars. design the dome & ring beam.

⊙ The permissible tensile stress in steel = 115 N/mm^2

(ii) Given:-

base width = 6m. rise 1.25m

live load = 2 kN/m^2

Step 2: possible stress:

Page No: 80.

$$\Rightarrow \sigma_{st} = 115 \text{ N/mm}^2.$$

$\sigma_{ct} = ?$

$$\sigma_{cbc} = 7 \text{ N/mm}^2$$

$$\sigma_{ct} = 2.8 \text{ N/mm}^2.$$


$$m = \frac{280}{3 \times \sigma_{cbc}} = \frac{280}{3 \times 7} = 13.3.$$

2) Dimension of dome.

$$\Rightarrow (R - r \sin \theta)^2 = R^2 - r^2$$

$$\Rightarrow (R - 1.25)^2 = R^2 - 3^2.$$

$$\Rightarrow \Rightarrow \boxed{R = 4.225 \text{ m.}}$$



3. load calculation

* Adopt thickness of the dome as 100 mm.

$$\begin{aligned} \text{Self weight of dome} &= 0.1 \times 25 \times 1 \\ &= 2.5 \text{ kN/m}^2. \end{aligned}$$

$$\begin{aligned} \text{live load} &= 2 \text{ kN/m}^2 \end{aligned}$$

$$\begin{aligned} \text{Total} &= 4.5 \text{ kN/m}^2. \end{aligned}$$

4) stress in dome:

$$(i) \text{ Meridians thrust } T = \frac{WR}{1 + \cos \theta}.$$

$$\sin \theta = \frac{Opp}{hyp.} = \frac{3}{4.225}$$

$$\boxed{\sin \theta = 0.71} \quad \sin^{-1}(0.71) = \theta$$


Step 2: Calculation of angle θ
 $\Rightarrow \cos \theta = 0.704$

(i) Horizontal component / tension T

$$T = \frac{4.5 \times 4.225}{1 + 0.704}$$

$$= 11.15 \text{ KN/m}$$

(ii) Member Compression stress



$$\Rightarrow \frac{T}{bt} = \frac{11.15}{0.1 \times 1} = 111.5 \text{ KN/m}^2$$

(iii) Hoop stress

$$= \frac{WR}{t} \left(\cos \theta - \frac{1}{1 + \cos \theta} \right)$$

$$= \frac{4.5 \times 4.225}{0.1} \left(\cos 45.14^\circ - \frac{1}{1 + \cos 45.14^\circ} \right)$$

$$= 22.27 \text{ KN/m}^2$$

Step 5: Area of steel:

These steel are minimum provided
 minimum A_{st}
 $\Rightarrow 0.3 \% b \times D$

$$= \frac{0.3}{100} \times 1000 \times 100$$

use 8mm ϕ bar.

$$\Rightarrow \text{Spacing} = \frac{\frac{\pi}{4} \times 8^2}{300} \times 1000$$

$$\approx 167$$

$$\approx 160 \text{ mm c/c.}$$

Provide 8 mm ϕ at 160 mm c/c both meridionally and circumferentially.

Step 6: Design of ring beam:

(i) horizontal component.

$$T_h = T \cos \theta$$

$$= 11.15 \times \cos 45^\circ 14'$$

$$T_h = 7.849 \text{ kN/m.}$$

(ii) Hoop tension in ring beam.

$$\Rightarrow \frac{T \cos \theta D}{2}$$

$$= \frac{11.15 \times 0.704 \times 6}{2}$$

$$= 23.54 \text{ kN/m.}$$

(iii) Area of surfacement

$$A_{st} = \frac{\text{hoop tension}}{\sigma_{st}}$$

$$= \frac{23.54 \times 10^3}{115} = 204.52 \text{ mm}^2$$

Use $\phi 8 \text{ mm}$

No. of bar $\Rightarrow \frac{A_{st}}{a_{st}}$

$$= \frac{204.5}{\frac{\pi}{4} \times 8^2}$$

$$= 4.06$$

≈ 4 # of bar's.

Area of beam:

Allowable stress in concrete = $\frac{\text{hoop tension}}{A_c + (m A_{st})}$

$$\sigma_{ct} = (2.8) = \frac{(23.53 \times 10^3)}{A_c + (m A_{st})}$$

$$A_c = 55730.5 \text{ mm}^2$$

201-06.

Adopt minimum width of beam as

150 mm

$$\Rightarrow A_c = b \times d$$

$$5730 = 150 \times d$$


$$d = \frac{5730}{150}$$

$$d = 38.2$$

$$\boxed{d = 38 \text{ mm}}$$

Calculated depth is minimum So adopt

Size of beam $\Rightarrow 150 \times 150 \text{ mm}$ width



1, Design a surf. rectangular concrete water tank with an open top for a capacity of 80,000 lit. The inside dimens of the tank may taken as 6m x 4m during the side wall of the tank using M20 & Fe 250 grad I mild steel bars.

Given

Capacity of tank = 80,000 litre

size = 6m x 4m.

M20 fe 250 grade I ms bars.

IS 3370-II

page no: 8

Step 1: permissible stress:-

$\sigma_{st} = 115 \text{ N/mm}^2$ (liquid retaining near the f

$\sigma_{st} = 125 \text{ N/mm}^2$ (liquid retaining away from the fard).

$$M = \frac{280}{3 \times 6 \times 6}$$

$$= \frac{280}{2 \times 7} = 13.33$$

$$n = \frac{1}{1 + \frac{0.5t}{m \times 0.6 \times 6}} = 115$$

$$= 0.45$$

$$j = 1 - \frac{n}{3} = 1 - \frac{0.45}{3} = 0.85$$

II Determination of tank:

Capacity = Volume.

$$\Rightarrow \frac{80000}{10^3} = b \times d \times h \text{ (for rect)}$$

$$\Rightarrow h = \frac{80000}{10^3 \times 6 \times 4}$$

$$= 3.33 \approx 3.35 \text{ m.}$$

$$H = h + \text{free board.}$$

$$= 3.35 + 0.2$$

$$= 3.55 \text{ m.}$$

Step: 3 Moment in side wall:

$$\frac{6}{A} = 1.5 \angle 2$$

The wall function as continuous slab subjected to water pressure about $H/4$ (or) from bottom :-

$$\text{Pressure intensity } p = w(H-h)$$


$$= 10(3.55-1)$$

$$= 25.5 \text{ kN/m}^2.$$

The moment is determined by moment distribution method.

Fixed end moment for 4m span

$$\begin{aligned} \Rightarrow \frac{Pl^2}{12} \\ = \frac{25.5 \times 4^2}{12} \\ = 34 \text{ kNm.} \end{aligned}$$



\Rightarrow at centre :-

$$\frac{Pl^2}{8} = \frac{25.5 \times 4^2}{8} = 51 \text{ kNm.}$$

For 6m span :-

$$\frac{Pl^2}{12} = \frac{25.5 \times 6^2}{12} = 76.5 \text{ kNm.}$$

$$\text{at centre: } \frac{Pl^2}{8} = \frac{25.5 \times 6^2}{8}$$

$$= 114.75 \text{ kNm.}$$

Stiffness ratio:

$$K = \frac{I}{L} \Rightarrow \frac{I}{A}$$

$$K = \frac{I}{6}$$

$$\Sigma K = \frac{I}{A} + \frac{I}{6} = 0.4 \frac{I}{A}$$


⇒

$$D = \frac{\frac{I}{A}}{0.4 \frac{I}{A}} = \frac{1}{0.4}$$

$$D.F = \frac{2.4}{A} = 0.6$$

$$D.F = \frac{\frac{I}{6}}{\frac{1}{2.4}} = \frac{I}{6} \times \frac{2.4}{1}$$

$$D.F = 0.4$$



Moment at Support = 59 kN.m.

Moment at centre = (114.7 - 59)

= 55.7.

Moment centre (shorter span).

= (51 - 59.5)

= - 8.5 kN.m.

Step 4:

Design of shaft of long column.

Adopt maximum moment for the design

Max design moment = 59.5 kN.m.

IS 456 pag No: 96:-

(Mu lim) = $0.36 \frac{x_{u\max}}{d} \left(1 - 0.42 \frac{x_{u\max}}{d} \right) b f_c$

$\left(\frac{x_{u\max}}{d} = 0.53 \right)$

$(59.5 \times 10^6) = (0.36 \times 0.53) \left(1 - 0.42 \times 0.53 \right) \times (1000 \times d) \times 20$

$d = 141.6 \approx 150 \text{ mm.}$

$d' = 40 \text{ mm.}$

$D = 150 + 40$

$\approx 190 \text{ mm.}$

Overall all think as axial of tank as 190 mm

Direct tension on the ^{long} wall.

$$= 10 (2.55)^2 / 2$$

$$= 76.5 \text{ kN/m}^2$$

Direct tension on shaft wall.

$$T = \omega (H - h) \frac{R^2}{2}$$

$$= 10 (3.55 - 1) \frac{4^2}{2}$$

$$= 51 \text{ kN/m}^2$$

Area of steel aft:-



$$A_{st} = A_{st1} + A_{st2}$$

$$\text{For } \sigma_{st} = 115 \text{ N/mm}^2$$

$$A_{ste1} = \frac{M - T x}{\sigma_{st} j d}$$

$$= \frac{(59.5 \times 10^6) - (76.5 \times 10^3 \times \frac{55}{40})}{115 \times 0.85 \times 150}$$

$$= 3771.0 \text{ mm}^2$$



$$A_{st2} = \frac{T}{\sigma_{st}} = \frac{(76.5 \times 10^3)}{(115)} = 665.22 \text{ mm}^2$$

$$A_{st} = A_{st1} + A_{st2}$$

$$= 3771.01 + 665.22 = 4436.23 \text{ mm}^2$$

⑤

$$\sigma_{st} = 125 \text{ N/mm}^2$$

$$\Rightarrow A_{st1} = \frac{(59.5 \times 10^6) - (76.5 \times 10^3 \times 55)}{(125 \times 0.85 \times 150)}$$

$$= 3469.3 \text{ mm}^2$$

$$A_{st2} = \frac{T}{\sigma_{st}}$$

$$= \frac{76.5 \times 10^3}{125} = 612 \text{ mm}^2$$

$$A_{st} = A_{st1} + A_{st2}$$

$$= 3469.3 + 612$$

$$= 4081.33 \text{ mm}^2$$

Adopt greater A_{st} .

we 22 mm ϕ bar.

$$\text{Spacing} = \frac{\text{area of } \phi 22 \text{ bar} \times 1000}{A_{st}}$$

$$= \frac{\frac{\pi}{4} \times 22^2 \times 1000}{4436.23}$$

Provide half of the bars from the inner bar at support are bent towards outer surface at centre providing an area of 4436.23

$$A_{st} = \frac{4436.23}{2} = 2218.115$$

Use 20mm ϕ bars.

Area of Spacing = $\frac{\pi/4 \times 20^2}{2218.15} \times 1000$

$$= 141.6 \approx 140 \text{ mm/c}$$

Provide 20mm ϕ bar at 140mm/c

Step 5:

Steel for cantilever moment:


$$\text{Cantilever moment} = \left(\frac{1}{2} \times 1 \times 3.55 \times 10 \right) \frac{1}{3}$$

$$= 5.9 \text{ KNm}$$

$$A_{st} = \frac{M}{\sigma_{st} j d}$$

$$= \frac{(5.9 \times 10^3)}{(115 \times 0.85 \times 150)}$$

$$= 402.38 \text{ mm}^2$$



Minimum A_{st} for cantilever is 0.3% of $b \times d$

$$\Rightarrow \left(\frac{0.3}{100} \times 1000 \times 150 \right)$$

$$= 570 \text{ mm}^2$$

Use $8 \text{ mm } \phi$.

$$\text{Spacing} \Rightarrow \frac{\frac{\pi}{4} \times 8^2}{570} \times 1000$$

$$= 88 \text{ mm} \approx 100 \text{ mm, c/c.}$$

Reinforcement on each face on the wall = 5

$$= 285 \text{ mm}^2$$

Use $8 \text{ mm } \phi$ bar.

$$\Rightarrow \text{Spacing} = \frac{\frac{\pi}{4} \times 8^2}{285} \times 1000$$

$$= 176.3 \text{ mm}^2$$

Provide $8 \text{ mm } \phi$ bars on each face of the wall. $\approx 170 \text{ mm}^2/\text{c.}$

Step 6: A_{ft} for slab.

Adopt nominal thickness of slab as 200 mm . minimum A_{st}

$$= 0.3\% \text{ of } b \times d$$


$$= \frac{0.3}{100} \times 1000 \times 200$$

Use 10 mm ϕ bars

$$\text{Spacing} = \frac{\pi/4 \times 10^2}{600} \times 100$$

$$= 130 \text{ mm } \frac{1}{2}$$

Provide 10 mm ϕ bar at 130 mm in both ways.



C.S of the tank above the slab.

11. Design a surfaced (R.C) water tank of in dimension $10 \times 3 \text{ m} \times 3$. The tank is to be placed underground. The soil surrounding tank is likely to get wet. The angle of repose is 30° at dry condition and 6° at wet. Take density of soil as 20 kN/m^3 , adopt M20 grade I mild steel bars.

Given:

Size = $10 \text{ m} \times 3 \text{ m} \times 3 \text{ m}$.

Angle of repose @ dry state = 30°
 @ wet state = 6°

Unit wt of soil = 20 kN/m^3

M20 + grade I ms bars.

(ii) Step 1 permissible & design const.

Tension due to bending

Page No: 7

IS 3370-part-II

$\sigma_{ct} = 1.7 \text{ N/mm}^2$.

$\sigma_{cbc} = 7 \text{ N/mm}^2$.

$\sigma_{st} = 115 \text{ N/mm}^2$.

design constant

$m = \frac{280}{3\sigma_{cbc}} = 13.33$.

$j = 1 - \frac{n}{3}$

$n = \frac{1}{1 + \frac{\sigma_{st}}{m\sigma_{cbc}}} = \frac{1}{1 + \frac{115}{13.33 \times 7}} = 0.447$

$$n = j = \frac{1 - \gamma}{3} = \frac{1 - 0.45}{3}$$

$$j = 0.85$$

$$Q = \frac{1}{2} \sigma_{bc} n \cdot j$$

$$= \frac{1}{2} \times 7 \times 0.45 \times 0.85 = 1.33$$

$$Q = 1.33$$

Step 2: Design of tank wall:

Maximum bending moment occurs for the case of empty tank and surrounding soil is water logged.

$$\frac{L}{B} = \frac{10}{3} = 3.33 > 2$$

∴ The long walls are designed as cantilever

Pressure exerted by wet soil

$$P = \gamma H \left(\frac{1 - \sin \phi}{1 + \sin \phi} \right)$$

$$= 20 \times (3) \left(\frac{1 - \sin 6}{1 + \sin 6} \right)$$

$$P = 48.64 \text{ KN/m}^2$$

Moment calculation:

Maximum moment at case of level the water face:

$$\text{Max. BM} = \frac{Ph^2}{33.5} = \frac{48.64 \times 3^2}{33.5}$$

away.

For water face. = 13.07 kNm.

$$\text{Max. B.M} = \frac{Ph^2}{15} = \frac{48.64 \times 3^2}{15}$$

Thickness of the wall = 29.18 kNm.

$$M = \frac{\sigma_{ct} b d^2}{6}$$

$$(29.18 \times 10^6) = \frac{1.7 \times \frac{(1000)}{3} \times D^2}{6}$$

$$D = 320.9.$$

$$\Rightarrow \boxed{320 \text{ mm} = D}$$

$$\Rightarrow d' = 40; d = 320 - 40 = 280 \text{ mm}.$$

Area of Steel for long wall:

$$A_{st} = \frac{\text{Max. B.M}}{\sigma_{st} \times j \times d}$$

$$= \frac{29.18 \times 10^6}{115 \times 0.85 \times 280}$$

$$= 1066.13 \text{ mm}^2$$

$$= 188 \approx 180 \text{ mm } \frac{1}{c}$$

Provide 16 mm ϕ bar at 180 mm $\frac{1}{c}$ on Centerline of the wall.

Area of steel for innerface :

$$A_{st} = \frac{\text{Max. BM}}$$

$\sigma_{st} j d.$

$$= \frac{13.07 \times 10^6}{(115 \times 0.85 + 280)}$$

$$= 477.5 \text{ mm}^2$$

Use 12 mm ϕ bar.

$$S = \frac{a_{st}}{A_{st}} \times 1000$$

$$= 236.85$$

$$\approx 230 \text{ mm } \frac{1}{c}$$

Provide, 230 mm $\frac{1}{c}$ at innerface :

Horizontal reinforcement in long wall :

$$\text{Area of steel} \Rightarrow 0.3 \times 66 \text{ b} \times \text{D}$$

$$= \frac{0.3}{1000} \times 1000 \times 320$$

$$= 960 \text{ mm}^2$$

Use 10 mm ϕ bars.

$$s = \frac{a_{st}}{A_{st}} \times 1000$$

$$= \frac{a_{st}}{A_{st}} \times 1000$$

$$= 81.8 \text{ mm} \approx 100 \text{ mm} \%$$

Provide 10 mm ϕ bar at 100 mm $\%$ as horizontal inf.

Step 3 :- Design of shaft wall.

Intensity of earth pressure.

$$P = 48.64 \text{ KN/m}^2.$$

$$\text{Max. B.M} = \frac{ph^2}{12}$$

$$= \frac{48.64 \times 3^2}{12}$$

$$= 36.48 \text{ KN}\cdot\text{m}.$$

$$\text{Effective Span} = \text{clear span} + \frac{(\text{thickness})}{2}$$

$$= 3 + 2 \left(\frac{.320}{2} \right)$$

$$= 3.320 \text{ m}.$$

$$\approx 3.32 \text{ m}.$$

effective depth

$$d = \sqrt{\frac{M}{qb}}$$

$$= \sqrt{\frac{(36.48 \times 10^6)}{(1.33 \times 1000)}}$$

$$= 165.61 < 280 \text{ mm}.$$

$$\text{adopt } d = 280 \text{ mm}.$$

Area of steel for short wall.

$$A_{st} = \frac{M}{\sigma_{st} \cdot j \cdot d}$$

$$= \frac{(36.48 \times 10^6)}{(115 \times 0.85 \times 280)}$$

$$= 1332.94 \text{ mm}^2$$

Use 16mm.

$$S = \frac{a_{st}}{A_{st}} \times 1000$$

$$= 150 \text{ mm}$$

⇒ use 16mm ϕ at 150 mm c/c on both ways.

The spacing may be increase upto 300mm towards the top

Vertical slt.

$$A_{st} = \frac{0.3}{100} \times b \times D$$

$$= \frac{0.3}{100} \times (1000) \times (320)$$

$$= 960 \text{ mm}^2$$

Use 10 mm ϕ

$$\Rightarrow S = 100 \text{ mm c/c}$$

Step 4 :: Design of roof slab ::

adopt: thickness of roof slab as 150 mm.

$t_k = 150 \text{ mm}$

load calculation

* Selfweight of slab = $1 \times 0.15 \times 1 \times 25$
 $= 3.75 \text{ kN/m}^2$

live load = 2.5 kN/m^2

floor finish = 0.5 kN/m^2

6.75 kN/m^2

Moment calculation

$M = \frac{wl^2}{8} = \frac{6.75 \times 3.32^2}{8} = \frac{9.3}{8} \text{ kNm}$

check for depth:

$d = \sqrt{\frac{M}{Qb}}$

$= \sqrt{\frac{9.3}{(1.33 \times 10^6)}}$

$= \sqrt{6992.48} = 83.62 \approx 100 \text{ mm}$

depth required < provided.

hence it is safe.

Area of reinforcement:

$D = 150$

$d = 150 - 25$

$d = 125$

$A_{st} = \frac{M}{\sigma_{st} j d}$

$= \frac{(9.3 \times 10^6)}{(115 \times 0.85 \times 125)} = 32882 \text{ mm}^2$

$= 32882 \text{ mm}^2$

Use 10 mm ϕ

$$S = \frac{a_{rt}}{A_{st}} \times 1000 = 103.19 \text{ mm}$$

$$\approx 100 \text{ mm.}$$

Provide 10 mm ϕ bar at 100 mm c/c as roof slab.

Distribution steel

$$\Rightarrow A_{st} = 0.3\% \times b \times D$$

$$= \frac{0.3}{100} \times 1000 \times 150$$

$$= 450 \text{ mm}^2$$

Use 8 mm ϕ bar.

$$S = \frac{a_{rt}}{A_{st}} \times 1000 = 111.70$$

$$\approx 110 \text{ mm c/c.}$$

Provide 8 mm ϕ bar at 110 mm c/c as distribar :-

